Patent Assignment Abstract of Title

T tal Assignments: 1

Application #: 09751882 Filing Dt: 12/29/2000 Patent #: NONE **Issue Dt:**

PCT #: NONE **Publication #:** US20010026557 **Pub Dt: 10/04/2001**

Invent rs: Gralf Gaedeken, Peter Buchner, Gerd Spalink

Title: Interface link layer device to build a distributed network

Assignment: 1

Reel/Frame: 011737/0307 Received: 05/02/2001 Recorded: Mailed: Pages: 04/20/2001 07/12/2001

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

BUCHNER, PETER Exec Dt: 03/08/2001

SPALINK, GERD Exec Dt: 03/09/2001

Assignee: SONY INTERNATIONAL (EUROPE) GMBH

KEMPERPLATZ 1

Assignors: GAEDEKEN, GRALF

D-10785 BERLIN, GERMANY

C rrespondent: FROMMER LAWRENCE & HAUG LLP

WILLIAM S. FROMMER 745 FIFTH AVENUE **NEW YORK, N.Y. 10151**

Search Results as of: 1/19/2005 11:13:32 A.M.

Exec Dt: 03/12/2001

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723 Web interface last modified: Oct. 5, 2002

Refine Search

Search Results -

Term	Documents
UPLINK	6225
UPLINKS	651
(75 AND UPLINK).USPT.	0
(L75 AND UPLINK).USPT.	0

	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
Database:	EPO Abstracts Database	
	JPO Abstracts Database	
Search Forms	Derwent World Patents Index	
Search Results	IBM Technical Disclosure Bulletins	
Help	L75 and u	
User S éanthe s		Refine Search
Preferences		
Logout	Recall Text Clear	Interrupt

Search History

DATE: Wednesday, January 19, 2005 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=UX	SPT; PLUR=YES; OP=ADJ		
<u>L76</u>	L75 and uplink	0	<u>L76</u>
<u>L75</u>	L74 and 1394	3	<u>L75</u>
<u>L74</u>	L73 and asynchronous and isochronous	16	<u>L74</u>
<u>L73</u>	L72 and buses	151	<u>L73</u>
<u>L72</u>	L70 and interface	202	<u>L72</u>
<u>L71</u>	distributed adj network and link adj layer adj interface	0	<u>L71</u>
<u>L70</u>	distributed adj network and link adj layer	204	<u>L70</u>
<u>L69</u>	distributed adj network and interface adj link adj layer	0	<u>L69</u>
<u>L68</u>	distributed adj network and interface adjlink adj layer	0	<u>L68</u>
<u>L67</u>	L65 and layer	0	<u>L67</u>

<u>L66</u>	L65 and link	0	<u>L66</u>
<u>L65</u>	L64 and extended	1	<u>L65</u>
<u>L64</u>	L63 and register	1	<u>L64</u>
<u>L63</u>	L60 and channels	1	<u>L63</u>
<u>L62</u>	L60 and predetermine	0	<u>L62</u>
<u>L61</u>	L60 and predetermined	0	<u>L61</u>
<u>L60</u>	L22 and destination	1	<u>L60</u>
<u>L59</u>	L53 and plurality adj busses	. 1	<u>L59</u>
<u>L58</u>	153 and plurality adj buses	1	<u>L58</u>
<u>L57</u>	L56 and uplink and downlink	0	<u>L57</u>
<u>L56</u>	L54 and buses	8	<u>L56</u>
<u>L55</u>	L54 and busses	8	L55
<u>L54</u>	L53 and mobiles	14	<u>L54</u>
<u>L53</u>	interface adj link adj layer	49	<u>L53</u>
<u>L52</u>	L51 and uplink and downlink	0	<u>L52</u>
<u>L51</u>	L50 and interface adj link	18	<u>L51</u>
<u>L50</u>	L49 and link adj layer	42	<u>L50</u>
<u>L49</u>	plurality adj buses	2896	<u>L49</u>
<u>L48</u>	L46 and portal	0	<u>L48</u>
<u>L47</u>	L46 and plurality adj channels	0	<u>L47</u>
<u>L46</u>	L45 and link adj layer	53	<u>L46</u>
<u>L45</u>	uplink and downlink and buses	1207	<u>L45</u>
<u>L44</u>	L43 and asynchronous and isochronous	. 0	<u>L44</u>
<u>L43</u>	L41 and multiple adj channels	1	<u>L43</u>
<u>L42</u>	L41 and plurality adj channels	1	<u>L42</u>
<u>L41</u>	L40 and interface	20	<u>L41</u>
<u>L40</u>	link adj layer and portal and bus	24	<u>L40</u>
<u>L39</u>	L37 and link adj layer	0	<u>L39</u>
<u>L38</u>	L37 and bus	. 3	<u>L38</u>
<u>L37</u>	interface adj portal	24	<u>L37</u>
<u>L36</u>	L35 and asynchronous and isochronous	1	<u>L36</u>
<u>L35</u>	L33 and plurality adj buses	1	<u>L35</u>
<u>L34</u>	L33 and plurality adj busses	1	<u>L34</u>
<u>L33</u>	interface adj link adj layer and buses	33	<u>L33</u>
<u>L32</u>	L26 and bus	0	<u>L32</u>
<u>L31</u>	L26 and busses	0	<u>L31</u>
<u>L30</u>	L29 and busses	1	<u>L30</u>
<u>L29</u>	L28 and bus	1	<u>L29</u>
<u>L28</u>	L25 and plurality adj busses	1	<u>L28</u>
<u>L27</u>	L26 and bus	0	<u>L27</u>
I 26	I 25 and interface adi link adi laver	2	1.26

<u>L25</u>	uplink and downlink and data adj packets	891	L25
<u>L24</u>	L22 and up and down	0	<u>L24</u>
<u>L23</u>	L22 and link	0	<u>L23</u>
<u>L22</u>	L21 and bus	1	<u>L22</u>
<u>L21</u>	L19 and plurality adj busses	1	<u>L21</u>
<u>L20</u>	L19 and plurality adj data adj busses	0	<u>L20</u>
<u>L19</u>	L17 and bus adj ID	1	<u>L19</u>
<u>L18</u>	L17 and bus adj identifier	0	<u>L18</u>
<u>L17</u>	L15 and destination	1	<u>L17</u>
<u>L16</u>	L15 and uplink and downlink	0	<u>L16</u>
<u>L15</u>	L14 and plurality adj channels	1	<u>L15</u>
<u>L14</u>	L13 and portal	18	<u>L14</u>
<u>L13</u>	asynchronous and isochronous and data adj packets and IEEE adj 1394	329	<u>L13</u>
<u>L12</u>	L10 and portal	0	<u>L12</u>
<u>L11</u>	L10 and data adj packets and portal	0	<u>L11</u>
<u>L10</u>	first adj data adj bus and data adj interface	74	<u>L10</u>
<u>L9</u>	L8 and second adj bus	0	<u>L9</u>
<u>L8</u>	portal and data adj bus and first adj data adj packet	2	<u>L8</u>
<u>L7</u>	L3 and first adj packet and second adj packet	0	<u>L7</u>
<u>L6</u>	L5 and second adj packet	1	<u>L6</u>
<u>L5</u>	L2 and first adj packet	2	<u>L5</u>
<u>L4</u>	L2 and first adj data adj packet	0	<u>L4</u>
<u>L3</u>	L2 and destination	5	<u>L3</u>
<u>L2</u>	L1 and plurality adj channels	8	<u>L2</u>
<u>L1</u>	interface and portal and packet	424	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
WAKAI	1069
WAKAIS	0
BUS	188221
BUSES	46947
BUSSES	16155
"1394"	6582
1394S	12
(WAKAI AND "1394" AND BUS).USPT.	16
Ch FROMSKAI AND BUS AND 1394).USPT.	16

Search Results

Help

User Searches

Preferences

Logout Database: US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database
US OCR Full-Text Database

EPO Abstracts Database JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:



Refine Search

Recall Text 👄

Clear

Interrupt

Search History

DATE: Wednesday, January 19, 2005 Printable Copy Create Case

Set Name side by side		<u>Hit</u> <u>Count</u>	Set Name result set
DB = U	SPT; PLUR=YES; OP=ADJ	•	
<u>L77</u>	Wakai and bus and 1394	16	<u>L77</u>
<u>L76</u>	L75 and uplink	0	<u>L76</u>
<u>L75</u>	L74 and 1394	3	<u>L75</u>
<u>L74</u>	L73 and asynchronous and isochronous	16	<u>L74</u>
L73	L72 and buses	151	<u>L73</u>

<u>L72</u>	L70 and interface	202	<u>L72</u>
<u>L71</u>	distributed adj network and link adj layer adj interface	0	<u>L71</u>
<u>L70</u>	distributed adj network and link adj layer	204	<u>L70</u>
<u>L69</u>	distributed adj network and interface adj link adj layer	0	<u>L69</u>
<u>L68</u>	distributed adj network and interface adjlink adj layer	0	<u>L68</u>
<u>L67</u>	L65 and layer	0	<u>L67</u>
<u>L66</u>	L65 and link	0	<u>L66</u>
<u>L65</u>	L64 and extended	1	<u>L65</u>
<u>L64</u>	L63 and register	1	<u>L64</u>
<u>L63</u>	L60 and channels	1	<u>L63</u>
<u>L62</u>	L60 and predetermine	0	<u>L62</u>
<u>L61</u>	L60 and predetermined	0	<u>L61</u>
<u>L60</u>	L22 and destination	1	<u>L60</u>
<u>L59</u>	L53 and plurality adj busses	1	<u>L59</u>
<u>L58</u>	153 and plurality adj buses	1	<u>L58</u>
<u>L57</u>	L56 and uplink and downlink	0	<u>L57</u>
<u>L56</u>	L54 and buses	8	<u>L56</u>
<u>L55</u>	L54 and busses	8	<u>L55</u>
<u>L54</u>	L53 and mobiles	14	<u>L54</u>
<u>L53</u>	interface adj link adj layer	49	<u>L53</u>
<u>L52</u> -	L51 and uplink and downlink	0	<u>L52</u>
<u>L51</u>	L50 and interface adj link	18	<u>L51</u>
<u>L50</u>	L49 and link adj layer	42	<u>L50</u>
<u>L49</u>	plurality adj buses	2896	<u>L49</u>
<u>L48</u>	L46 and portal	0	<u>L48</u>
<u>L47</u>	L46 and plurality adj channels	0	<u>L47</u>
<u>L46</u>	L45 and link adj layer	53	<u>L46</u>
<u>L45</u>	uplink and downlink and buses	1207	<u>L45</u>
<u>L44</u>	L43 and asynchronous and isochronous	0	<u>L44</u>
<u>L43</u>	L41 and multiple adj channels	1	<u>L43</u>
<u>L42</u>	L41 and plurality adj channels	1	<u>L42</u>
<u>L41</u>	L40 and interface	20	<u>L41</u>
<u>L40</u>	link adj layer and portal and bus	24	<u>L40</u>
<u>L39</u>	L37 and link adj layer	0	<u>L39</u>
<u>L38</u>	L37 and bus	3	<u>L38</u>
<u>L37</u>	interface adj portal	24	<u>L37</u>
<u>L36</u>	L35 and asynchronous and isochronous	1	<u>L36</u>
<u>L35</u>	L33 and plurality adj buses	1	<u>L35</u>
<u>L34</u>	L33 and plurality adj busses	1	<u>L34</u>
<u>L33</u>	interface adj link adj layer and buses	33	<u>L33</u>
L32	L26 and bus	0	L32

<u>L31</u>	L26 and busses	0	<u>L31</u>
<u>L30</u>	L29 and busses	1	<u>L30</u>
<u>L29</u>	L28 and bus	1	<u>L29</u>
<u>L28</u>	L25 and plurality adj busses	1	<u>L28</u>
<u>L27</u>	L26 and bus	0	<u>L27</u>
<u>L26</u>	L25 and interface adj link adj layer	2	<u>L26</u>
<u>L25</u>	uplink and downlink and data adj packets	891	<u>L25</u>
<u>L24</u>	L22 and up and down	0	<u>L24</u>
<u>L23</u>	L22 and link	0	<u>L23</u>
<u>L22</u>	L21 and bus	1	<u>L22</u>
<u>L21</u>	L19 and plurality adj busses	1	<u>L21</u>
<u>L20</u>	L19 and plurality adj data adj busses	0	<u>L20</u>
<u>L19</u>	L17 and bus adj ID	1	<u>L19</u>
<u>L18</u>	L17 and bus adj identifier	0	<u>L18</u>
<u>L17</u>	L15 and destination	1	<u>L17</u>
<u>L16</u>	L15 and uplink and downlink	0	<u>L16</u>
<u>L15</u>	L14 and plurality adj channels	1	<u>L15</u>
<u>L14</u>	L13 and portal	18	<u>L14</u>
<u>L13</u>	asynchronous and isochronous and data adj packets and IEEE adj 1394	329	<u>L13</u>
<u>L12</u>	L10 and portal	0	<u>L12</u>
<u>L11</u>	L10 and data adj packets and portal	. 0	<u>L11</u>
<u>L10</u>	first adj data adj bus and data adj interface	74	<u>L10</u>
<u>L9</u>	L8 and second adj bus	0	<u>L9</u>
<u>L8</u>	portal and data adj bus and first adj data adj packet	2	<u>L8</u>
<u>L7</u>	L3 and first adj packet and second adj packet	0	<u>L7</u>
<u>L6</u>	L5 and second adj packet	1	<u>L6</u>
<u>L5</u>	L2 and first adj packet	2	<u>L5</u>
<u>L4</u>	L2 and first adj data adj packet	0	<u>L4</u>
<u>L3</u>	L2 and destination	5	<u>L3</u>
<u>L2</u>	L1 and plurality adj channels	. 8	<u>L2</u>
T 1	interface and nortal and nacket	424	T 1

END OF SEARCH HISTORY